

NAUGARD[®] 412S thioester

Thioester Stabilizer

Description

NAUGARD[®] 412S thioester is a low-volatility, high molecular weight, organic sulfur-containing antioxidant developed for polyolefins and engineering thermoplastics. It is specifically recommended for high-temperature, long-term applications for polypropylene, polyethylene and engineering thermoplastics. When **NAUGARD[®] 412S thioester** is used in conjunction with a primary hindered phenolic antioxidant, the combination provides thermal stability that is not obtainable with conventional thioesters.

Features

- Excellent long-term heat stabilizer
- Low odor
- Low plate-out

Chemical Name

Pentaerythritol tetrakis (β-laurylthiopropionate)

CAS-Number:


29598-76-3

EINECS-Number:

249-720-9

Formula

NAUGARD[®] 412S thioester



Typical physical properties of NAUGARD[®] 412S thioester

Appearance	White, crystalline powder
Molecular weight [g/mol]	1162
Melting Point	47°C
Specific Gravity @ 55°C	0.93
Bulk Density [g/cc]	0.52

The information contained herein relates to a specific AddivantTM product and its use, and is based on information available as of the date hereof. Additional information relating to the product can be obtained from the pertinent Material Safety Data Sheets. Nothing in this Technical Data Sheet shall be construed to modify any of AddivantTM standard terms and conditions of sale under which the product is sold by AddivantTM. NOTHING IN THIS TECHNICAL DATA SHEET SHALL BE CONSTRUED TO CONSTITUTE A REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE PRODUCT'S CHARACTERISTICS, USE, QUALITY, SAFETY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED. Nothing contained herein shall constitute permission or recommendation to practice any intellectual property without the permission of the owner.

AddivantTM and the AddivantTM logo are trademarks of AddivantTM Corporation or one of its subsidiaries.

Copyright © 2013 AddivantTM Corporation. All rights reserved.

Solubility (g/100ml solvent)

Acetone	2.5
Benzene	83
N-Hexane	20.7
Methanol	<0.01
Water	<0.01

Thermogravimetric Analyses (10 mg @ 10°C/minutes under N₂)

TGA 5%	TGA 10%	TGA 50%
	331°C	374°C

Storage and Handling

This product may be stored for at least four (4) years in sealed containers. Containers should be stored in cool, dry area. Extended storage at elevated temperatures or exposure to direct heat could decrease product shelf life. Containers should be kept sealed when not in use.

For additional handling and toxicological information consult the AddivantTM Material Safety Data Sheet.

The information contained herein relates to a specific AddivantTM product and its use, and is based on information available as of the date hereof. Additional information relating to the product can be obtained from the pertinent Material Safety Data Sheets. Nothing in this Technical Data Sheet shall be construed to modify any of AddivantTM standard terms and conditions of sale under which the product is sold by AddivantTM. NOTHING IN THIS TECHNICAL DATA SHEET SHALL BE CONSTRUED TO CONSTITUTE A REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, REGARDING THE PRODUCT'S CHARACTERISTICS, USE, QUALITY, SAFETY, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND ANY AND ALL SUCH REPRESENTATIONS AND WARRANTIES ARE HEREBY EXPRESSLY DISCLAIMED. Nothing contained herein shall constitute permission or recommendation to practice any intellectual property without the permission of the owner.

AddivantTM and the AddivantTM logo are trademarks of AddivantTM Corporation or one of its subsidiaries.

Copyright © 2013 AddivantTM Corporation. All rights reserved.