

Industrial Coatings

Technical Data Sheet

Irganox[®] 1726



Product Description


Irganox[®] 1726 is a multifunctional phenolic antioxidant that protects organic substrates such as adhesives, elastomers and related products from thermo-oxidative degradation during processing.

Key Features & Benefits

- Non-staining, non-discoloring
- Low volatility
- Resistant to extraction
- Stable to light and heat

Chemical Composition

2,4-Bis(dodecylthiomethyl)-6-methylphenol



Properties

Typical Characteristics

Appearance	solid
CAS number	110675-26-8
Molecular weight	536.96 g/mol
Melting range	~ 28°C
Flash point	232°C
Vapor pressure at 25°C	1.8 E-19 Pa
Density at 40°C	0.934 g/ml

Solubility at 20°C (g/100 g solution)

Acetone	> 50
Cyclohexane	> 50
Ethyl acetate	> 50
n-Hexane	> 50
Methanol	1
Toluene	> 50
Water	< 0.1

These typical values should not be interpreted as specifications.

Applications

Irganox® 1726 is a multifunctional phenolic antioxidant suitable for stabilization of organic polymers particularly for adhesives, hot melt adhesives based on unsaturated polymers such as SBS or SIS, as well as solventborne adhesives (SBS) based on elastomers (natural rubber, chloroprene rubber, SBR, etc.) and waterborne adhesives. Irganox® 1726 is also suitable for the stabilization of block co-polymers such as SBS and SIS and for polyurethane products such as PUR sealants. It effectively protects the substrate against thermo-oxidative degradation. It is non-staining, non-discoloring, low in volatility, resistant to extraction, and stable to light and heat.

Irganox® 1726 is recommended for applications such as:

- Adhesive materials
- Elastomers
- PUR products

Irganox® 1726 is an effective thermo-oxidative stabilizer for adhesive materials, especially hot melt adhesives, solvent- and water-based adhesives, block co-polymers such as SBS and SIS, as well as PUR products such as PUR sealants.

Processing

For easy dosing, Irganox® 1726 can be liquefied by making use of a heat chamber (60°C).

Irganox® 1726 can be used alone, at low levels and without co-stabilizers. Where necessary, it can be used with other additives such as primary and/or secondary antioxidants, acrylates and/or Vitamin E, light stabilizers other functional stabilizers and fillers. The effectiveness of these products in adhesives, block co-polymers and PUR products makes Irganox® 1726 an excellent choice where consolidation of antioxidant systems is desirable.

Recommended Concentrations

The amount of Irganox® 1726 required for optimum performance should be determined in trials covering a concentration range. Concentrations up to several percent may be used depending on the substrate, processing conditions, and requirements of the end application.

Normal usage levels typically range between 0.1 – 1.0%.

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State, and Local health and safety regulations, thorough ventilation of the workplace, good skin care, and wearing of protective goggles.

Material Safety Data Sheet

All safety information is provided in the Material Safety Data Sheet for Irganox® 1726.

Storage

Properly stored and protected, an unopened container of Irganox® 1726 should have a shelf life of at least one year. Product may become liquid upon storage.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Irganox is a registered trademark of BASF Group.

BASF Corporation, 2015



BASF Corporation is fully committed to the Responsible Care® initiative in the USA, Canada, and Mexico. For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Pigments
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: edtech_info@basf.com
www.basf.us/dpsolutions